## **Product Label**





## **Dry Ammonium Sulfate / Drift Retardant**

Active Ingredients: (BY WEIGHT)

Ammonium Sulfate, Polyacrylamide and 96.15%

Dimethylpolysiloxane

Constituents Ineffective as a spray 3.85%

adjuvant

Total 100.0%

All ingredients are exempt from tolerance requirements under 40 CFR 180.1001(d)

# KEEP OUT OF REACH OF CHILDREN CAUTION

Avoid eye and skin contact. May cause eye or skin irritation. When mixing or applying this product, wear eye protection and chemical resistant gloves in addition to protective clothing required on the pesticide product label(s).

Avoid ingestion, breathing vapors or spray mist.

Note: Read and follow all label directions and cautions an all products used.



Manufactured By:
Coastal AgroBusiness, Inc.
Greenville, North Carolina

## **GENREAL INFORMATION**

**AMP Plus Dry** is a highly active ammonium sulfate/drift retardant designed to reduce drift while enhancing herbicide performance by modifying solution pH and water hardness. The ammoniacal nitrogen in **AMS Plus Dry** has been found to promote herbicide (such as glyphosate) uptake in agricultural applications. The use of high quality spray grade ammonium sulfate in **AMS Plus Dry** eliminates cold water sedimentation and nozzle plugging. **AMS Plus Dry** also contains a pH stable antifoam which helps control foaming during tank mixing.

#### STATEMENT OF PRACTICAL TREATMENT

If Inhaled: Remove to fresh air, treat symptomatically. Seek medical attention

If swallowed: DO NOT INDUCE VOMITING. DO NOT GIVE LIQUIDS.

Seek immediate medical attention.

If on Skin: Wash with soap and water. If irritation develops get medical attention.

If in Eyes: Immediately flush with water for 15-20 minutes. Get medical attention if irritation persists.

#### **USE PRECAUTIONS**

The degree of drift hazard varies with the type of pesticide, application conditions, and vegetation near the sprayed area. Common sense and sound application technology must be followed when spraying pesticides. **AMS Plus Dry** will retard but may not totally eliminate drift.

#### **DIRECTIONS FOR USE**

FOR USE WITH PRODUCTS REGISTERED FOR: AGRICULTURAL, FORESTRY, INDUSTRIAL, MUNICIPAL, NON-CROPLAND, ORNAMENTAL, RIGHTS-OF-WAY AND OTHER USES.

The addition of **AMS Plus Dry** to a tank mix should always follow the review of herbicide(s) labels and their procedures, rates and application requirements. Before using **AMS Plus Dry**, it is recommended that the user be familiar or have experience with the combination or must have conducted a phytotoxicity trial

#### **RECOMMENDED USE RATES**

Glyphosate tank mixes:

Use at a rate of 9 to 18 lbs. of **AMS Plus Dry** per 100 gallons of spray solution.

Other tank mixes:

9.0 lbs.= 8.5 lbs. active ingredient/AMS

18.0 lbs. = 17 lbs. active ingredient/AMS

## **HANDLING AND STORAGE**

For optimum storage stability, store at temperatures between 60°F (16°C) and 90°F (32°C). Avoid contact with iron clad, copper and copper bearing materials. Avoid contact with eyes and skin. Do not store near oxidizing agents.

# **WARRANTY**

**NOTICE:** Coastal AgroBusiness warrants that this product, when used as directed and in accordance with sound agricultural practices, us reasonably fit for the purposes stated on the label. Buyer assumes the risk of any use contrary to the directions so stated. Coastal AgroBusiness makes no other expressed or implied warranty of Fitness or Merchantability. This warranty shall not be changed by oral or written agreement unless signed by a duly authorized officer of Coastal AgroBusiness. In no event shall Coastal AgroBusiness' liability for any breach of warranty exceed the purchase price of the product to which a claim is made.